

Fruit Tree Care



Hi-Yield

ferti-lome Info Sheet

ferti-lome

Fall Dormant after the leaves drop in the fall.

This is the best time to prune and fertilizer with *FL Fruit Tree Food*.

Spray with *FL Horticultural Oil* or *HY Dormant Oil*, thoroughly coat all the branches and trunk.

On Peaches spray with *NG Copper Soap* to prevent Peach Leaf Curl.

Spring Dormant before the buds crack and you can see color in them.

If you didn't fertilize in the fall, fertilize now with *FL Fruit Tree Food*.

If you didn't spray your dormant spray in the fall, do so now with *FL Horticultural Oil* or *HY Dormant Oil*.

If you had Peach Leaf Curl last year, make a second application of *NG Copper Soap*. Just prior to bud break, make an application of *FL Fruit Tree Spray*.

Bud Break this is when you see color in the bud, up to **Full Bloom**.

The ONLY thing you spray now is *FL Fire Blight Spray* or *NG Copper Soap*, for Fire Blight. Spray, repeat in 3 to 4 days and every 7 days until blossoms drop. Mostly Apple and Pear.

Petal Drop this is when at least 75% to 85% of the blossoms have dropped.

Make at least 3 applications 7 to 14 days apart with *FL Fruit Tree Spray*.

7 days apart during wet weather, 14 days apart when hot and dry.

This is an insecticide, fungicide and miticide.

For Bacterial or Fungal Issues usually in cool wet springs/summers.

Spray with *NG Copper Soap* per the label, always make at least 2 applications.

Apply *FL F-Stop*, either alone or alternate with *NG Copper Soap*, when fungus is a concern.

For Insects later in the season, after at least 3 applications of *FL Fruit Tree Spray*.

For worms and caterpillars, including codling moth, apply *NG Spinosad*, repeat 10 - 14 days.

For soft-bodied insects, including aphids, apply *NG Insecticidal Soap*.

Spray early in the morning, late in the evening or on a cloudy day, to avoid burning.

For hard-chemistry, broad spectrum insecticide, apply *HY Lawn, Garden, Pet and Livestock Spray*.

Fertilizer apply early spring or late fall or after storm damage to help recovery.

Use *FL Fruit, Citrus and Pecan Food*. One application per year is sufficient, don't over apply.

Use *HY Zinc Sulfate* on Pecans to help prevent and control Rosette.

Injury on Fruit Trees prune out damaged area and apply *FL Pruning Seal* or *FL Pruning Paint*.

This helps to keep out insects and helps prevent rot on soft wood, also fertilize for recovery.



Dormant



Bud Break



Full Bloom



**Petal Drop
Fruit Set**

